



COMPANION ANIMAL IMMUNIZATION SUPPORT GUARANTEE

Zoetis will cover reasonable diagnostic and treatment costs up to \$5,000 if a pet vaccinated with one of the Zoetis antigens listed below contracts the corresponding disease after January 1, 2017.

Conditions:

- The pet must be vaccinated by a licensed veterinarian with an established client-patient relationship.
- A veterinarian (or appropriate veterinary health care team member) must be the primary point of contact for the guarantee to be valid. Zoetis will direct all claims from pet owners, breeders, etc., to the vaccinating veterinarian.
- For the core vaccine Companion Animal Immunization Support Guarantee (4 years) to be valid, the pet must have received an age-appropriate initial vaccination series as per the vaccine label. A Zoetis vaccine must be the most recent vaccine used in the series. Per AAHA/AAFP Vaccination Guidelines, a 1-year booster is recommended after the initial puppy/kitten series.
- When a series is required, the two vaccines should ideally be given according to the label instructions, but no sooner than 2 and no greater than 6 weeks apart.
- For the non-core vaccine Companion Animal Immunization Support Guarantee (1 year) to be valid, the pet must have completed an age-appropriate vaccination series as per the vaccine label.
- A Zoetis vaccine must be the most recent vaccine used in the series.
- Any animal vaccinated in accordance with the AAHA/AAFP Vaccination Guidelines, with appropriate Zoetis vaccines, is fully covered under the Zoetis Companion Animal Immunization Support Guarantee.
- For the Feline Leukemia support guarantee (2 years) to be valid, the medical record must document a negative FeLV test at the time of immunization.
- All payments made under the Zoetis Companion Animal Immunization Support Program may require a signed consent form from the veterinarian and/or pet owner.





COMPANION ANIMAL IMMUNIZATION SUPPORT GUARANTEE

Claims:

- At the time of a claim, veterinarians must collaborate with Zoetis Veterinary Medical Information and Product Support (VMIPS) in designing an appropriate diagnostic and treatment regimen. A diagnosis must be made using criteria predetermined by VMIPS. To contact VMIPS, call 1-888-963-8471.
- At the time of a claim, information including the vaccine brand, serial number, and date of vaccination must be provided.
- At the time of a claim, vaccine purchase history will be verified by VMIPS. Claims involving vaccines purchased from unauthorized sources will not be supported under the Zoetis Companion Animal Immunization Support Guarantee.
- Claims involving animal species other than those on the product label are not covered.
- Claims involving puppies and kittens less than 15 weeks of age, or involving onset of disease within 3 weeks (2 weeks for Canine Influenza Virus) of completing the initial immunization series, are not covered. For *Bordetella bronchiseptica* and intranasal respiratory vaccines, coverage begins 1 week after completion of the vaccine series or mucosal vaccine (animals exposed prior to onset of expected immunity may not be covered).

***Bordetella bronchiseptica* Vaccines:**

- Zoetis is proud to support dogs who are suspected to have a *Bordetella bronchiseptica* infection for diagnostic and treatment (if they are in fact diagnosed) costs up to \$7,500 if they have received a “prime boost” protocol. This protocol entails the use of a Zoetis *B. bronchiseptica* intranasal vaccine as the initial or priming dose. In 2–6 weeks, the dog will receive a “booster” dose of Bronchicine® CAe. Thereafter, the dog will receive an annual injection of Bronchicine® CAe.





COMPANION ANIMAL IMMUNIZATION SUPPORT GUARANTEE

Lepto Loyalty Guarantee:

- Zoetis will provide reimbursement for reasonable and customary costs associated with the diagnosis and treatment of acute leptospirosis in dogs meeting the criteria for the Zoetis Companion Animal Lepto Loyalty Guarantee.
 - The 2010 ACVIM Small Animal Consensus Statement on Leptospirosis will be used to help define reasonable and customary;
 - Dialysis, oxygen therapy, plasma transfusions and mechanical ventilation are all described in the guidelines as reasonable therapeutic options.
 - Experimental or unconventional therapies (e.g., organ transplant) will not be covered.
 - Acute treatment period will include hospitalization and up to 12 weeks of reasonable outpatient monitoring afterwards.
- To qualify for these additional benefits from the Zoetis Companion Animal Immunization Support Guarantee, the client must show that:
 - The dog's 3 most recent Lepto vaccines must be a Vanguard® L4 containing SKU. The Vanguard L4 SKU can be the initial series (with 2 doses given 2–6 weeks apart) followed by an annual booster.

OR

- 3 annual vaccinations with Vanguard® L4 containing SKU after an appropriate initial series.
- A grace period of up to 2 weeks will be allowed after the annual vaccine due date.
- Companion Animal ISG qualifications must be met according to VMIPS diagnostic algorithm.
- Per existing Companion Animal ISG rules, initial confirmatory diagnostics are to be reimbursed at laboratory cost.
- In the event that a case does not meet all the criteria for the Lepto Loyalty Guarantee, eligibility for routine Companion Animal ISG coverage will be considered.

zoetis



COMPANION ANIMAL IMMUNIZATION SUPPORT GUARANTEE

Lyme Vaccines and Tick Protection:

- If the dog is diagnosed and displays clinical signs consistent with Lyme disease, Zoetis will reimburse diagnostic and treatment costs up to **\$7,500** if the patient has received continuous protection with Simparica® used according to label directions, was vaccinated appropriately AND the last dose of Lyme vaccine administered was a Zoetis vaccine.

Lyme Vaccine:

- To qualify for additional benefits from the Zoetis Immunization Support Guarantee, the client must show that: (a) their dog is appropriately vaccinated for Lyme disease; (b) the most recent Lyme vaccine was administered in the preceding 12 months; and (c) the most recent Lyme vaccine was a Zoetis Lyme vaccine (VANGUARD® crLYME or LYMEVAX®).

Tick Protection*:

- Zoetis will cover reasonable diagnostic and treatment costs for suspected cases of canine Lyme disease, for qualifying patients. Coverage begins one month after a negative Lyme test** and administration of Simparica according to label directions. If the diagnostics confirm exposure to *Borrelia burgdorferi* and the dog is showing clinical signs, the Simparica Satisfaction Guarantee will cover physical examination, ancillary diagnostic and therapeutic charges up to a maximum of \$2,500.
- The owner must show proof of the dog's negative Lyme test within 1 month of starting treatment with Simparica and have a negative yearly test thereafter. Any qualitative antibody test for Lyme disease may be used as a screening tool to detect natural exposure to *Borrelia burgdorferi*. Examples include: IDEXX SNAP® 3Dx® Test or SNAP® 4Dx® Test, ANTECH Diagnostics® AccuPlex®4 Test, and Abaxis VetScan® Canine Lyme Rapid Test.
- Client must be able to demonstrate that they purchased enough doses of Simparica to provide continuous protection to their dog from the date of the negative Lyme test through the date of the claim. The Companion Animal Parasite Council (CAPC) recommends year-round flea and tick protection.

* Please review the Simparica Satisfaction Guarantee program requirements for detailed information on qualification and coverage.

** Subject to program requirements outlined herein.

IDEXX SNAP 3Dx Test and IDEXX SNAP 4 Dx Test are registered trademarks of IDEXX Laboratories, Inc. AccuPlex 4 is a registered trademark of ANTECH DIAGNOSTICS, INC. VetScan Canine Lyme Rapid Test is a registered trademark of Abaxis, Inc.



COMPANION ANIMAL IMMUNIZATION SUPPORT GUARANTEE



of coverage for:

Borrelia burgdorferi
Bordetella bronchiseptica
Canine Adenovirus-1&2 (Intranasal)
Canine Coronavirus
Canine *Parainfluenza Virus (Intranasal)*
Chlamydophila felis
(*Chlamydia psittaci*)
Canine Influenza Virus
Lepto Loyalty Guarantee*



of coverage for:

Leptospira
icterohaemorrhagiae
L. canicola
L. grippotyphosa
L. pomona



of coverage for:

Feline Leukemia Virus



of coverage for:

Canine Adenovirus-1&2 (Injectable)
Canine Distemper Virus
Canine Parainfluenza Virus (Injectable)
Canine Parvovirus
Feline Parvovirus
(Feline Panleukopenia)
Feline Herpesvirus-1
Feline Calicivirus

* Please review program requirements for detailed information on qualification and coverage.

** 15 month coverage applies after an appropriate initial series and a timely 1 year booster. Dogs receiving their vaccine booster between 12.5–15 months after their last dose of *Leptospira* vaccine will have eligibility considered for coverage with the traditional Zoetis Companion Animal Immunization Support Guarantee.

†† Extended coverage begins after an appropriate initial series and a timely 1 year booster.

All trademarks are the property of Zoetis Services LLC or a related company or a licensor unless otherwise noted.
© 2017 Zoetis Services LLC. All rights reserved. SAB-00331